Index of Authors

Abernathy, J.W. *see* Arias, C.R.
Abriouel, H. *see* García, M[a].T.
Adams, M.R. *see* Komitopoulou, E.
Adela Yáñez, M. *see* Pérez-Luz, S.
Adriany, T. *see* Vaningelgem, F.
Aertsen, A. *see* De Spiegeleer, P.
Aggelis, G. *see* Papanikolaou, S.
Ahrens, P. *see* Torpdahl, M.
Akbalik, G., Gunes, H., Yavuz, E., Yasa, I., Harsa, S., Elmaci, Z.S. & Yenidunya, A.F. Identification of extracellular enzyme producing alkalophilic bacilli from Izmir province by 16S-ITS rDNA RFLP, 766
Alander, M. *see* Mättö, J.
Aldred, D. *see* Mitchell, D.
Alonzo, V. *see* Nostro, A.
Álvarez, I. *see* Virto, R.
An, C.L. *see* Shin, E.C.
An, J.M. *see* Shin, E.C.
Ananou, S., Valdivia, E., Martínez Bueno, M., Gálvez, A. & Maqueda, M. Effect of combined physico-chemical preservatives on enterocin AS-48 activity against the enterotoxigenic *Staphylococcus aureus* CECT 976 strain, 48
Andersen, L.M. *see* Jordan, D.
Arantes, R.M.E. *see* Silva, A.M.
Arias, C.R., Welker, T.L., Shoemaker, C.A., Abernathy, J.W. & Klesius, P.H. Genetic fingerprinting of *Flavobacterium columnare* isolates from cultured fish, 421
Armstrong, R.A. *see* Elloway, E.A.G.
Asher, M.J.C. *see* Walker, R.
Aslam, M., Greer, G.G., Nattress, F.M., Gill, C.O. & McMullen, L.M. Genotypic analysis of *Escherichia coli* recovered from product and equipment at a beef-packing plant, 78
Avrain, L., Vernozy-Rozand, C. & Kempf, I. Evidence for natural horizontal transfer of *tetO* gene between *Campylobacter jejuni* strains in chickens, 134
Aznar, R. *see* Macián, M.C.

Bachur, M. *see* Souto, G.I.
Baggiani, A. *see* Celandroni, F.
Bahador, N. *see* Baserisalehi, M.
Bai, D. *see* Kim, P.I.
Bai, H. *see* Kim, P.I.
Bainton, N.J. *see* Komitopoulou, E.
Ball, H.J. *see* Neely, E.
Barbosa, F.H.F. *see* Silva, A.M.
Barrow, K. *see* Toh, M.
Baserisalehi, M., Bahador, N. & Kapadnis, B.P. A novel method for isolation of *Campylobacter* spp. from environmental samples, involving sample processing, and blood- and antibiotic-free medium, 853
Bato, R.V. *see* Romanov, M.N.
Bejaoui, H., Mathieu, F., Taillandier, P. & Lebrihi, A. Ochratoxin A removal in synthetic and natural grape juices by selected oenological *Saccharomyces* strains, 1038
Bell, C. *see* Neely, E.
Bellon-Fontaine, M.N. *see* Lerebour, G.
Bennett, M. *see* Robinson, S.E.
Bentham, R.H. *see* Dandie, C.E.
Bergquist, P.L. *see* Finnegan, P.M.
Berjeaud, J.M. *see* Ghrairi, T.
Beshkova, D.M. *see* Simova, E.D.
Betts, W.B. *see* Grant, R.J.
Bian, C.-X. *see* Jiang, Y.-J.
Birch, R.G. *see* Wu, L.
Bird, J. *see* Holah, J.T.
Bird, R.A. *see* Elloway, E.A.G.
Blackall, P.J. *see* Chinivasagam, H.N.
Blaiotta, G., Ercolini, D., Pennacchia, C., Fusco, V., Casaburi, A., Pepe, O. & Villani, F. PCR detection of staphylococcal enterotoxin genes in *Staphylococcus* spp. strains isolated from meat and dairy products. Evidence for new variants of *se*G and *se*I in *S. aureus* AB-8802, 719
Blaiotta, G., Pennacchia, C., Villani, F., Ricciardi, A., Tofalo, R. & Parente, E. Diversity and dynamics of communities of coagulase-negative staphylococci in traditional fermented sausages, 271
Bleve, G. *see* Cappello, M.S.
Boboye, B. Degradation of trehalose by rhizobia and characteristics of a trehalose-degrading enzyme isolated from *Rhizobium* species NGR234, 256
Bomo, A.-M., Ekeberg, D., Stevik, T.K., Hanssen, J.F. & Frostegård, Å. Retention and removal of the fish pathogenic bacterium *Yersinia ruckeri* in biological sand filters, 598
Boone, D.R. *see* Ungerfeld, E.M.
Borsari, A. *see* Montanari, G.
Bos, A. *see* Fitzgerald, D.J.
Bouain, A. *see* Maalej, S.
Bouchez, T. *see* Thomas, V.
Boudabous, A. *see* Raddadi, N.
Bouttefroy, A. *see* Brillet, A.
Brillet, A., Pilet, M.-F., Prevost, H., Bouttefroy, A. & Leroi, F. Biodiversity of *Listeria monocytogenes* sensitivity to bacteriocin-producing *Carnobacterium* strains and application in sterile cold-smoked salmon, 1029
Bruinsma, J. *see* Smit, B.A.
Brumbley, S.M. *see* Finnegan, P.M.
Bruscolini, F. *see* Pianetti, A.
Busz, H.W. *see* Inglis, G.D.

Calderón, E. *see* Lucena, F.
Campos, C. *see* Lucena, F.
Cannatelli, M.A. *see* Nostro, A.
Cano, R. *see* Yeung, P.S.M.
Capozzi, V. *see* Spano, G.
Cappello, M.S., Bleve, G., Grieco, F., Dellaglio, F. & Zacheo, G. Characterization of *Saccharomyces cerevisiae* strains isolated from must of grape grown in experimental vineyard, 1274
Carbone, M. *see* Maugeri, T.L.
Carlin, F. *see* Clavel, T.
Carpentier, B. *see* Midelet, G.
Casaburi, A. *see* Blaiotta, G.
Casaburi, A. *see* Mauriello, G.
Casey, K. *see* Chinivasagam, H.N.
Catalán, V. *see* Pérez-Luz, S.
Cecchini, C., Verdenelli, M.C., Orpianesi, C., Dadea, G.M. & Cresci, A. Effects of antimicrobial treatment on fiberglass-acrylic filters, 371
Celandroni, F., Longo, I., Tosoratti, N., Giannessi, F., Ghelardi, E., Salvetti, S., Baggiani, A. & Senesi, S. Effect of microwave radiation on *Bacillus subtilis* spores, 1220
Çelenk, F.G. *see* Tuncer, M.
Cellini, L., Del Vecchio, A., Di Candia, M., Di Campli, E., Favaro, M. & Donelli, G. Detection of free and plankton-associated *Helicobacter pylori* in seawater, 285
Cesena, C. *see* Marcotte, H.
Chae, H. *see* Kim, P.I.
Chang, P.-K., Wilson, R.A., Keller, N.P. & Cleveland, T.E. Deletion of the Δ12-oleic acid desaturase gene of a nonaflatoxigenic *Aspergillus parasiticus* field isolate affects conidiation and sclerotial development, 1178
Chang, S. *see* Shin, J.-H.
Chen, J. *see* Shi, Y.
Chenoll, E. *see* Macián, M.C.
Cherif, A. *see* Raddadi, N.
Chi, Y.-T. *see* Kim, P.I.
Chiavari, C. *see* Montanari, G.
Chinivasagam, H.N., Thomas, R.J., Casey, K., McGahan, E., Gardner, E.A., Rafiee, M. & Blackall, P.J. Microbiological status of piggery effluent from 13 piggeries in the south east Queensland region of Australia, 883
Cho, K.M. *see* Shin, E.C.
Choi, B.R. *see* Shin, E.C.
Chowdhury, A. *see* Jordan, D.
Chowdhury, S.P., Khanna, S., Verma, S.C. & Tripathi, A.K. Molecular diversity of tannic acid degrading bacteria isolated from tannery soil, 1210
Chu, W. *see* Jiang, S.C.
Chung, S. *see* Kim, P.I.
Claisse, O. *see* Delaherche, A.
Clavel, T., Carlin, F., Lairon, D., Nguyen-The, C. & Schmitt, P. Survival of *Bacillus cereus* spores and vegetative cells in acid media simulating human stomach, 214
Cleveland, T.E. *see* Chang, P.-K.
Cogan, T.A. *see* Nyeleti, C.
Colantoni, P. *see* Pianetti, A.
Condon, S. *see* Virto, R.
Connes, C. *see* LeBlanc, J.G.
Correa, O.S. *see* Souto, G.I.
Cortezzo, D.E., Koziol-Dube, K., Setlow, B. & Setlow, P. Treatment with oxidizing agents damages the inner membrane of spores of *Bacillus subtilis* and sensitizes spores to subsequent stress, 838
Cox, J.M. *see* Toh, M.
Cresci, A. *see* Cecchini, C.
Critchley, M.M., Pasetto, R. & O'Halloran, R.J. Microbiological influences in 'blue water' copper corrosion, 590
Cross, D. & Kenerley, C.M. Modelling the growth of *Trichoderma virens* with limited sampling ofdigital images, 486
Crump, J.A., Okoth, G.O., Slutsker, L., Ogaja, D.O., Keswick, B.H. & Luby, S.P. Effect of point-of-use disinfection, flocculation and combined flocculation–disinfection on drinking water quality in western Kenya, 225
Cupferman, S. *see* Lerebour, G.

Dadea, G.M. *see* Cecchini, C.
Daffonchio, D. *see* Raddadi, N.
Dandie, C.E., Thomas, S.M., Bentham, R.H. & McClure, N.C. Physiological characterization of *Mycobacterium* sp. strain 1B isolated from a bacterial culture able to degrade high-molecular-weight polycyclic aromatic hydrocarbons, 246
Darveau, A. *see* Kukavica-Ibrulj, I.
Davenport, B. *see* Morrissey, W.F.
De Buck, J., Van Immerseel, F., Haesebrouck, F. & Ducatelle, R. A REVIEW: Colonization of the chicken reproductive tract and egg contamination by *Salmonella*, 233
De Spiegeleer, P., Sermon, J., Lietaert, A., Aertsen, A. & Michiels, C.W. Source of tryptone in growth medium affects oxidative stress resistance in *Escherichia coli*, 124
De Vuyst, L. *see* Vaningelgem, F.
Del Vecchio, A. *see* Cellini, L.
Delaherche, A., Claisse, O. & Lonvaud-Funel, A. Detection and quantification of *Brettanomyces bruxellensis* and 'ropy' *Pediococcus damnosus* strains in wine by real-time polymerase chain reaction, 910
Dellaglio, F. *see* Cappello, M.S.

Demuyter, C., Lollier, M., Legras, J.-L. & Le Jeune, C. Predominance of *Saccharomyces uvarum* during spontaneous alcoholic fermentation, for three consecutive years, in an Alsatian winery, 1140
Desmarchelier, P. *see* Fegan, N.
Dettmar, P.W. *see* Messager, S.
Di Campli, E. *see* Cellini, L.
Di Candia, M. *see* Cellini, L.
Dobson, A.D.W. *see* Morrissey, W.F.
Doleyres, Y., Fliss, I. & Lacroix, C. Increased stress tolerance of *Bifidobacterium longum* and *Lactococcus lactis* produced during continuous mixed-strain immobilized-cell fermentation, 527
Donelli, G. *see* Cellini, L.
Dong, Z. *see* Loiret, F.G.
Dowd, M.K. *see* Yildirim-Aksoy, M.
Drysdale, M., MacRae, M., Strachan, N.J.C., Reid, T.M.S. & Ogden, I.D. The detection of non-O157 *E. coli* in food by immunomagnetic separation, 220
Duarte, R. *see* Silva, A.M.
Ducatelle, R. *see* De Buck, J.
Dukan, S. *see* Maalej, S.
Dumetz, F. *see* Massias, B.
Duran, A.E. *see* Lucena, F.

Earl, J. *see* Whitby, C.
Edwards, C. *see* Whitby, C.
Ekeberg, D. *see* Bomo, A.-M.
Elloway, E.A.G., Armstrong, R.A., Bird, R.A., Kelly, S.L. & Smith, S.N. Analysis of *Acanthamoeba polyphaga* surface carbohydrate exposure by FITC–lectin binding and fluorescence evaluation, 1319
Elmaci, Z.S. *see* Akbalik, G.
Engels, W.J.M. *see* Smit, B.A.
Ercolini, D. *see* Blaiotta, G.
Ercolini, D. *see* Mauriello, G.

Favaro, M. *see* Cellini, L.
Fegan, N., Vanderlinde, P., Higgs, G. & Desmarchelier, P. Quantification and prevalence of *Salmonella* in beef cattle presenting at slaughter, 892
Fegan, N., Vanderlinde, P., Higgs, G. & Desmarchelier, P. The prevalence and concentration of *Escherichia coli* O157 in faeces of cattle from different production systems at slaughter, 362
Feng, L. *see* Guo, H.
Feng, M.-G. *see* Ying, S.-H.
Fera, M.T. *see* Maugeri, T.L.
Ferrari, S. *see* Marcotte, H.
Ferri, G. *see* Montanari, G.
Feurer, C., Irlinger, F., Spinnler, H.E., Glaser, P. & Vallaeys, T. Assessment of the rind microbial diversity in a farmhouse-produced vs a pasteurized industrially produced soft red-smear cheese using both cultivation and rDNA-based methods, 546
Field, T.R. *see* Jones, C.L.
Filya, I., Sucu, E. & Karabulut, A. The effect of *Propionibacterium acidipropionici*, with or without *Lactobacillus plantarum*, on the fermentation and aerobic stability of wheat, sorghum and maize silages, 818
Finlay, D. *see* Neely, E.
Finnegan, P.M., Brumbley, S.M., O'Shea, M.G., Nevalainen, K.M.H. & Bergquist, P.L. *Paenibacillus* isolates possess diverse dextran-degrading enzymes, 477
Fitzgerald, D.J., Stratford, M., Gasson, M.J., Ueckert, J., Bos, A. & Narbad, A. Mode of antimicrobial action of vanillin against *Escherichia coli*, *Lactobacillus plantarum* and *Listeria innocua*, 104
Fliss, I. *see* Doleyres, Y.
Fliss, I. *see* Kukavica-Ibrulj, I.
French, N.P. *see* Robinson, S.E.
Frengova, G.I. *see* Simova, E.D.
Frère, J. *see* Ghrairi, T.
Frostegård, Å. *see* Bomo, A.-M.
Fujita, K., Matsuyama, A., Kobayashi, Y. & Iwahashi, H. Comprehensive gene expression analysis of the response to straight-chain alcohols in *Saccharomyces cerevisiae* using cDNA microarray, 57
Fusco, V. *see* Blaiotta, G.

Gálvez, A. *see* Ananou, S.
Gálvez, A. *see* García, M^a.T.
Gantzer, C. *see* Lucena, F.
García, A.F. *see* Souto, G.I.
García, M^a.T., Lucas, R., Abriouel, H., Omar, N.B., Pérez, R., Grande, M^a.J., Martínez-Cañamero, M. & Gálvez, A. Antimicrobial activity of enterocin EJ97 against '*Bacillus macroides/Bacillus maroccanus*' isolated from zucchini purée, 731
Gardner, E.A. *see* Chinivasagam, H.N.
Garro, M.S. *see* LeBlanc, J.G.
Gasson, M.J. *see* Fitzgerald, D.J.
Gdoura, R. *see* Maalej, S.
Ghelardi, E. *see* Celandroni, F.
Ghrairi, T., Manai, M., Berjeaud, J.M. & Frère, J. Antilisterial activity of lactic acid bacteria isolated from rigouta, a traditional Tunisian cheese, 621

Ghribi, D., Zouari, N. & Jaoua, S. Improvement of bioinsecticides production through mutagenesis of *Bacillus thuringiensis* by u.v. and nitrous acid affecting metabolic pathways and/or delta-endotoxin synthesis, 338
Giannessi, F. *see* Celandroni, F.
Gilbert, C. & Slavik, M. Determination of toxicity of *Campylobacter jejuni* isolated from humans and from poultry carcasses acquired at various stages of production, 347
Gilbert, P. *see* Rickard, A.H.
Gill, C.O. *see* Aslam, M.
Gilpin, B.J. *see* Harrow, S.A.
Glaser, P. *see* Feurer, C.
Goddard, P.A. *see* Messager, S.
González, Á. *see* Hierro, N.
Graham, C.G. *see* Wong, T.L.
Grande, M^a.J. *see* García, M^a.T.
Grant, R.J. & Betts, W.B. Mineral and carbon usage of two synthetic pyrethroid degrading bacterial isolates, 656
Gray, S. *see* Whitby, C.
Grazia, L. *see* Montanari, G.
Greer, G.G. *see* Aslam, M.
Grieco, F. *see* Cappello, M.S.
Gugliandolo, C. *see* Maugeri, T.L.
Guillamón, J.M. *see* Hierro, N.
Gunes, H. *see* Akbalik, G.
Gunes, H. *see* Yavuz, E.
Guo, H., Feng, L., Tao, J., Zhang, C. & Wang, L. Identification of *Escherichia coli* O172 O-antigen gene cluster and development of a serogroup-specific PCR assay, 181

Haas, H. *see* Leiter, É.
Haesebrouck, F. *see* De Buck, J.
Haffajee, A.D. *see* Li, J.
Hall, K.E. *see* Holah, J.T.
Hammami, A. *see* Maalej, S.
Hammarström, L. *see* Marcotte, H.
Handley, P.S. *see* Sabev, H.A.
Hann, A.C. *see* Messager, S.
Hanssen, J.F. *see* Bomo, A.-M.
Harkins, M., Porter, A.J.R. & Paton, G.I. The role of host organism, transcriptional switches and reporter mechanisms in the performance of Hg-induced biosensors, 1192
Harrow, S.A., Gilpin, B.J. & Klena, J.D. Characterization of erythromycin resistance in *Campylobacter coli* and *Campylobacter jejuni* isolated from pig offal in New Zealand, 141
Harsa, S. *see* Akbalik, G.
Harsa, S. *see* Yavuz, E.
Hart, C.A. *see* Robinson, S.E.
Heiss, S. *see* Solano-Serena, F.
Helmerhorst, E.J. *see* Li, J.
Henrichsen, L. *see* Toh, M.
Hierro, N., González, Á., Mas, A. & Guillamón, J.M. New PCR-based methods for yeast identification, 792
Higgs, G. *see* Fegan, N.
Holah, J.T., Bird, J. & Hall, K.E. The microbial ecology of high-risk, chilled food factories; evidence for persistent *Listeria* spp. and *Escherichia coli* strains, 68
Holm, C., Mathiasen, T. & Jespersen, L. A flow cytometric technique for quantification and differentiation of bacteria in bulk tank milk, 935
Hong, S.Y. *see* Shin, E.C.
Hudson, J.A. *see* Wong, T.L.
Humphrey, T.J. *see* Nyeleti, C.
van Hylckama Vlieg, J.E.T. *see* Smit, B.A.

Inglis, G.D., Kalischuk, L.D. & Busz, H.W. Chronic shedding of *Campylobacter* species in beef cattle, 410
Irlinger, F. *see* Feurer, C.
Irrera, G.P. *see* Maugeri, T.L.
Isikli, M. *see* Tuncer, M.
Iwahashi, H. *see* Fujita, K.

Jaoua, S. *see* Ghribi, D.
Jaykus, L.-A. *see* Stevens, K.A.
Jean, J. *see* Kukavica-Ibrulj, I.
Jespersen, L. *see* Holm, C.
Jespersen, L. *see* Petersen, K.M.
Ji, E.-S. *see* Kim, C.S.
Jiang, S.C. & Chu, W. PCR detection of pathogenic viruses in southern California urban rivers, 17
Jiang, S.-D. *see* Jiang, Y.-J.
Jiang, Y.-J., Liao, G.-Y., Zhao, W., Sun, M.-B., Qian, Y., Bian, C.-X. & Jiang, S.-D. Detection of infectious hepatitis A virus by integrated cell culture/strand-specific reverse transcriptase-polymerase chain reaction, 1105
Jofre, J. *see* Lucena, F.
Johnsson, P. *see* Lindblad, M.
Jones, C.L., Monaghan, P., Field, T.R., Smith, A.J., Ward, P.N. & Leigh, J.A. Localization of MtuA, an LraI homologue in *Streptococcus uberis*, 149
Jonsson, N. *see* Lindblad, M.
Jordan, D., Vancov, T., Chowdhury, A., Andersen, L.M., Jury, K., Stevenson, A.E. & Morris, S.G. The relationship between concentration of a dual marker strain of *Salmonella* Typhimurium in bovine faeces and its probability of detection by immunomagnetic separation and culture, 1054
Jury, K. *see* Jordan, D.

Kalischuk, L.D. *see* Inglis, G.D.
Kang, D.-H. *see* Shin, J.-H.
Kang, J.M. *see* Shin, E.C.
Kapadnis, B.P. *see* Baserisalehi, M.
Karabulut, A. *see* Filya, I.
Kassinen, A. *see* Rinttilä, T.
Kavouras, J.H. & Maki, J.S. Inhibition of the reattachment of young adult zebra mussels by single-species biofilms and associated exopolymers, 1236
Kawai, M., Yamagishi, J., Yamaguchi, N., Tani, K. & Nasu, M. Bacterial population dynamics and community structure in a pharmaceutical manufacturing water supply system determined by real-time PCR and PCR-denaturing gradient gel electrophoresis, 1123
Keller, N.P. *see* Chang, P.-K.
Kelly, S.L. *see* Elloway, E.A.G.
Kempf, I. *see* Avrain, L.
Kenerley, C.M. *see* Cross, D.
Kerber, N.L. *see* Souto, G.I.
Keswick, B.H. *see* Crump, J.A.
Khanna, S. *see* Chowdhury, S.P.
Kida, N., Mochizuki, Y. & Taguchi, F. An effective iodide formulation for killing *Bacillus* and *Geobacillus* spores over a wide temperature range, 402
Kiiskinen, L.-L., Rättö, M. & Kruus, K. Screening for novel laccase-producing microbes, 640
Kim, C.S., Ji, E.-S. & Oh, D.-K. Characterization of a thermostable recombinant β-galactosidase from *Thermotoga maritima*, 1006
Kim, E.J. *see* Shin, E.C.
Kim, H. *see* Shin, E.C.
Kim, P.I., Bai, H., Bai, D., Chae, H., Chung, S., Kim, Y., Park, R. & Chi, Y.-T. Purification and characterization of a lipopeptide produced by *Bacillus thuringiensis* CMB26, 942
Kim, Y. *see* Kim, P.I.
Kim, Y.K. *see* Shin, E.C.
Kitada, S. *see* Nishiuchi, Y.
Kitts, C.L. *see* Yeung, P.S.M.
Kleiner, D. *see* Loiret, F.G.
Klena, J.D. *see* Harrow, S.A.
Klesius, P.H. *see* Arias, C.R.
Klesius, P.H. *see* Yildirim-Aksoy, M.
Kobayashi, Y. *see* Fujita, K.
Komaitis, M. *see* Papanikolaou, S.
Komitopoulou, E., Bainton, N.J. & Adams, M.R. Premature *Salmonella* Typhimurium growth inhibition in competition with other Gram-negative organisms is redox potential regulated via RpoS induction, 964
Koziol-Dube, K. *see* Cortezzo, D.E.
Krogius, L. *see* Rinttilä, T.
Kruus, K. *see* Kiiskinen, L.-L.
Kukavica-Ibrulj, I., Darveau, A., Jean, J. & Fliss, I. Hepatitis A virus attachment to agri-food surfaces using immunological, virological and thermodynamic assays, 923
Kuru, A. *see* Tuncer, M.

La Storia, A. *see* Mauriello, G.
Lacroix, C. *see* Doleyres, Y.
Lai, S. *see* Watson, C.L.
Lairon, D. *see* Clavel, T.
Lambert, R.J.W. Comparative analysis of antibiotic and antimicrobial biocide susceptibility data in clinical isolates of methicillin-sensitive *Staphylococcus aureus*, methicillin-resistant *Staphylococcus aureus* and *Pseudomonas aeruginosa* between 1989 and 2000, 699
Lanyon, C. *see* Whitby, C.
Le Hénaff, M. *see* Massias, B.
Le Jeune, C. *see* Demuyter, C.
Leão, C. *see* Mendes-Ferreira, A.
LeBlanc, J.G., Garro, M.S., Silvestroni, A., Connes, C., Piard, J.-C., Sesma, F. & Savoy de Giori, G. Reduction of α-galactooligosaccharides in soyamilk by *Lactobacillus fermentum* CRL 722: *in vitro* and *in vivo* evaluation of fermented soyamilk, 876
Lebrihi, A. *see* Bejaoui, H.
Lee, J.V. *see* Watson, C.L.
Legras, J.-L. *see* Demuyter, C.
Leigh, J.A. *see* Jones, C.L.
Leiter, É., Marx, F., Pusztahelyi, T., Haas, H. & Pócsi, I. *Penicillium chrysogenum* glucose oxidase – a study on its antifungal effects, 1201
Leone, C.W. *see* Li, J.
Lerebour, G., Cupferman, S. & Bellon-Fontaine, M.N. Adhesion of *Staphylococcus aureus* and *Staphylococcus epidermidis* to the Episkin® reconstructed epidermis model and to an inert 304 stainless steel substrate, 7
Leroi, F. *see* Brillet, A.
Leroy, S. *see* Morot-Bizot, S.C.
Lévi, Y. *see* Thomas, V.
Li, J., Helmerhorst, E.J., Leone, C.W., Troxler, R.F., Yaskell, T., Haffajee, A.D., Socransky, S.S. & Oppenheim, F.G. Identification of early microbial colonizers in human dental biofilm, 1311
Liao, G.-Y. *see* Jiang, Y.-J.
Lietaert, A. *see* De Spiegeleer, P.
Lim, C. *see* Yildirim-Aksoy, M.
Lim, S. *see* Shin, S.
Lim, W.J. *see* Shin, E.C.

Lindblad, M., Johnsson, P., Jonsson, N., Lindqvist, R. & Olsen, M. Predicting noncompliant levels of ochratoxin A in cereal grain from *Penicillium verrucosum* counts, 609
Lindqvist, R. *see* Lindblad, M.
Lindsay, S. *see* Rickard, A.H.
Lira, W.M., Macedo, C. & Marin, J.M. The incidence of Shiga toxin-producing *Escherichia coli* in cattle with mastitis in Brazil, 861
Liu, Y. *see* Ungerfeld, E.M.
Lockwood, G.B. *see* Rickard, A.H.
Loiret, F.G., Ortega, E., Kleiner, D., Ortega-Rodés, P., Rodés, R. & Dong, Z. A putative new endophytic nitrogen-fixing bacterium *Pantoea* sp. from sugarcane, 504
Lollier, M. *see* Demuyter, C.
Longo, I. *see* Celandroni, F.
Lonvaud-Funel, A. *see* Delaherche, A.
Loret, J.F. *see* Thomas, V.
Luby, S.P. *see* Crump, J.A.
Lucas, R. *see* García, M^{a}.T.
Lucca, M.E. *see* Luque, R.
Lucena, F., Duran, A.E., Morón, A., Calderón, E., Campos, C., Gantzer, C., Skraber, S. & Jofre, J. Reduction of bacterial indicators and bacteriophages infecting faecal bacteria in primary and secondary wastewater treatments, 1069
Luque, R., Orejas, M., Perotti, N.I., Ramón, D. & Lucca, M.E. pH Control of the production of recombinant glucose oxidase in *Aspergillus nidulans*, 332

Ma, X., Zhou, X. & Yoshimoto, T. Purification and properties of a novel glycine amino peptidase from *Actinomucor elegans* and its potential application, 985
Ma, Y. *see* Wu, H.
Maalej, S., Gdoura, R., Dukan, S., Hammami, A. & Bouain, A. Maintenance of pathogenicity during entry into and resuscitation from viable but nonculturable state in *Aeromonas hydrophila* exposed to natural seawater at low temperature, 557
McCappin, J. *see* Neely, E.
McClure, N.C. *see* Dandie, C.E.
Macedo, C. *see* Lira, W.M.
McGahan, E. *see* Chinivasagam, H.N.
Macián, M.C., Chenoll, E. & Aznar, R. Simultaneous detection of Carnobacterium and Leuconostoc in meat products by multiplex PCR, 384
McMullen, L.M. *see* Aslam, M.
MacRae, M. *see* Drysdale, M.
Maekura, R. *see* Nishiuchi, Y.
Magan, N. *see* Mitchell, D.
Magan, N. *see* Parra, R.
Maillard, J.-Y. *see* Messager, S.
Maki, J.S. *see* Kavouras, J.H.
Maldonald Galdeano, C. & Perdigón, G. Role of viability of probiotic strains in their persistence in the gut and in mucosal immune stimulation, 673
Malinen, E. *see* Mättö, J.
Malinen, E. *see* Rinttilä, T.
Manai, M. *see* Ghrairi, T.
Maqueda, M. *see* Ananou, S.
Marchal, R. *see* Solano-Serena, F.
Marcotte, H., Ferrari, S., Cesena, C., Hammarström, L., Morelli, L., Pozzi, G. & Oggioni, M.R. The aggregation-promoting factor of *Lactobacillus crispatus* M247 and its genetic locus, 749
Marin, J.M. *see* Lira, W.M.
Marquis, C.P. *see* Toh, M.
Martínez Bueno, M. *see* Ananou, S.
Martínez-Cañamero, M. *see* García, M^{a}.T.
Marx, F. *see* Leiter, É.
Mas, A. *see* Hierro, N.
Massa, S. *see* Spano, G.
Massias, B., Dumetz, F., Urdaci, M.-C. & Le Hénaff, M. Identification of P18, a surface protein produced by the fish pathogen *Flavobacterium psychrophilum*, 574
Mathiasen, T. *see* Holm, C.
Mathieu, F. *see* Bejaoui, H.
Matsuyama, A. *see* Fujita, K.
Mattila-Sandholm, T. *see* Suihko, M.-L.
Mättö, J., Malinen, E., Suihko, M.-L., Alander, M., Palva, A. & Saarela, M. Genetic heterogeneity and functional properties of intestinal bifidobacteria, 459
Maugeri, T.L., Carbone, M., Fera, M.T., Irrera, G.P. & Gugliandolo, C. Distribution of potentially pathogenic bacteria as free living and plankton associated in a marine coastal zone, 354
Mauriello, G., Ercolini, D., La Storia, A., Casaburi, A. & Villani, F. Development of polythene films for food packaging activated with an antilisterial bacteriocin from *Lactobacillus curvatus* 32Y, 314
Meadows, J. *see* Whitby, C.
Mendes-Faia, A. *see* Mendes-Ferreira, A.
Mendes-Ferreira, A., Mendes-Faia, A. & Leão, C. Growth and fermentation patterns of *Saccharomyces cerevisiae* under different ammonium concentrations and its implications in winemaking industry, 540
Messager, S., Hann, A.C., Goddard, P.A., Dettmar, P.W. & Maillard, J.-Y. Use of the '*ex vivo*' test to study long-term bacterial survival on human skin and their sensitivity to antisepsis, 1149
Michiels, C.W. *see* De Spiegeleer, P.

Midelet, G. & Carpentier, B. Impact of cleaning and disinfection agents on biofilm structure and on microbial transfer to a solid model food, 262
Miller, D.L. *see* Varel, V.H.
Mitchell, D., Parra, R., Aldred, D. & Magan, N. Water and temperature relations of growth and ochratoxin A production by *Aspergillus carbonarius* strains from grapes in Europe and Israel, 439
Mochizuki, Y. *see* Kida, N.
Moffitt, M.C. *see* Toh, M.
Molinari, F. *see* Raddadi, N.
Monaghan, P. *see* Jones, C.L.
Montanari, G., Borsari, A., Chiavari, C., Ferri, G., Zambonelli, C. & Grazia, L. Morphological and phenotypical characterization of *Bacillus sporothermodurans*, 802
Montecchia, M.S. *see* Souto, G.I.
Mora, D. *see* Raddadi, N.
Morelli, I. *see* Nostro, A.
Morelli, L. *see* Marcotte, H.
Morón, A. *see* Lucena, F.
Morot-Bizot, S.C., Talon, R. & Leroy, S. Development of a multiplex PCR for the identification of *Staphylococcus* genus and four staphylococcal species isolated from food, 1087
Morris, S.G. *see* Jordan, D.
Morrissey, W.F., Davenport, B., Querol, A. & Dobson, A.D.W. The role of indigenous yeasts in traditional Irish cider fermentations, 647
Murata, M. *see* Uchida, M.
Musolino, A.D. *see* Nostro, A.

Nair, J.R., Narasimman, G. & Sekar, V. Cloning and partial characterization of zwittermicin A resistance gene cluster from *Bacillus thuringiensis* subsp. *kurstaki* strain HD1, 495
Narasimman, G. *see* Nair, J.R.
Narbad, A. *see* Fitzgerald, D.J.
Nasu, M. *see* Kawai, M.
Nattress, F.M. *see* Aslam, M.
Neely, E., Bell, C., Finlay, D., McCappin, J., Wilson, I. & Ball, H.J. Development of a capture/enrichment sandwich ELISA for the rapid detection of enteropathogenic and enterohaemorrhagic *Escherichia coli* O26 strains, 1161
Neilan, B.A. *see* Toh, M.
Nevalainen, K.M.H. *see* Finnegan, P.M.
Nguyen-The, C. *see* Clavel, T.
Nichols, G. *see* Watson, C.L.
Nicolas, V. *see* Thomas, V.
Nicoli, J.R. *see* Silva, A.M.
Niessen, L. *see* Schmidt, H.
Nishiuchi, Y., Kitada, S. & Maekura, R. Liquid chromatography/mass spectrometry analysis of small-scale glycopeptidolipid preparations to identify serovars of *Mycobacterium avium–intracellulare* complex, 738
Nostro, A., Cannatelli, M.A., Morelli, I., Musolino, A.D., Scuderi, F., Pizzimenti, F. & Alonzo, V. Efficiency of *Calamintha officinalis* essential oil as preservative in two topical product types, 395
Nyeleti, C., Cogan, T.A. & Humphrey, T.J. Effect of sunlight on the survival of *Salmonella* on surfaces, 617

O'Halloran, R.J. *see* Critchley, M.M.
Oakey, J. *see* Payne, M.
Oard, J.H. *see* Oard, S.
Oard, S., Rush, M.C. & Oard, J.H. Characterization of antimicrobial peptides against a US strain of the rice pathogen *Rhizoctonia solani*, 169
Ogaja, D.O. *see* Crump, J.A.
Ogden, I.D. *see* Drysdale, M.
Oggioni, M.R. *see* Marcotte, H.
Oh, D.-K. *see* Kim, C.S.
Okoth, G.O. *see* Crump, J.A.
Olsen, M. *see* Lindblad, M.
Omar, N.B. *see* García, M[a].T.
Oppenheim, F.G. *see* Li, J.
Orejas, M. *see* Luque, R.
Orpianesi, C. *see* Cecchini, C.
Ortega, E. *see* Loiret, F.G.
Ortega-Rodés, P. *see* Loiret, F.G.
O'Shea, M.G. *see* Finnegan, P.M.
Ouzari, H. *see* Raddadi, N.
Owen, R.J. *see* Watson, C.L.
Owens, L. *see* Payne, M.
Ozaki, K. *see* Suzuki, K.

Palop, L.L. *see* Sánchez, I.
Palva, A. *see* Mättö, J.
Palva, A. *see* Rinttilä, T.
Pang, Y. *see* Shi, Y.
Papanikolaou, S., Sarantou, S., Komaitis, M. & Aggelis, G. Repression of reserve lipid turnover in *Cunninghamella echinulata* and *Mortierella isabellina* cultivated in multiple-limited media, 867
Parente, E. *see* Blaiotta, G.
Park, R. *see* Kim, P.I.
Parra, R. & Magan, N. Modelling the effect of temperature and water activity on growth of *Aspergillus niger* strains and applications for food spoilage moulds, 429
Parra, R. *see* Mitchell, D.

Partanen, L. *see* Suihko, M.-L.
Pasetto, R. *see* Critchley, M.M.
Paton, G.I. *see* Harkins, M.
Payne, M., Oakey, J. & Owens, L. The ability of two different *Vibrio* spp. bacteriophages to infect *Vibrio harveyi*, *Vibrio cholerae* and *Vibrio mimicus*, 663
Pennacchia, C. *see* Blaiotta, G.
Pepe, O. *see* Blaiotta, G.
Perdigón, G. *see* Maldonald Galdeano, C.
Pérez, R. *see* García, M^{a}.T.
Pérez-Luz, S., Adela Yáñez, M. & Catalán, V. Identification of waterborne bacteria by the analysis of 16S–23S rRNA intergenic spacer region, 191
Perotti, N.I. *see* Luque, R.
Petersen, K.M. & Jespersen, L. Genetic diversity of the species *Debaryomyces hansenii* and the use of chromosome polymorphism for typing of strains isolated from surface-ripened cheeses, 205
Pianetti, A., Bruscolini, F., Sabatini, L. & Colantoni, P. Microbial characteristics of marine sediments in bathing area along Pesaro-Gabicce coast (Italy): a preliminary study, 682
Piard, J.-C. *see* LeBlanc, J.G.
Pilet, M.-F. *see* Brillet, A.
Pizzimenti, F. *see* Nostro, A.
Pócsi, I. *see* Leiter, É.
Porter, A.J.R. *see* Harkins, M.
Pozzi, G. *see* Marcotte, H.
Prevost, H. *see* Brillet, A.
Pucheu, N.L. *see* Souto, G.I.
Pusztahelyi, T. *see* Leiter, É.

Qian, Y. *see* Jiang, Y.-J.
Querol, A. *see* Morrissey, W.F.

Raaska, L. *see* Suihko, M.-L.
Raddadi, N., Cherif, A., Mora, D., Ouzari, H., Boudabous, A., Molinari, F. & Daffonchio, D. The autolytic phenotype of *Bacillus thuringiensis*, 158
Rafiee, M. *see* Chinivasagam, H.N.
Raftery, M. *see* Toh, M.
Ramón, D. *see* Luque, R.
Raso, J. *see* Virto, R.
Rättö, M. *see* Kiiskinen, L.-L.
Reid, T.M.S. *see* Drysdale, M.
Ricciardi, A. *see* Blaiotta, G.
Rickard, A.H., Lindsay, S., Lockwood, G.B. & Gilbert, P. Induction of the *mar* operon by miscellaneous groceries, 1063
Rinttilä, T., Kassinen, A., Malinen, E., Krogius, L. & Palva, A. Development of an extensive set of 16S rDNA-targeted primers for quantification of pathogenic and indigenous bacteria in faecal samples by real-time PCR, 1166
Robert, S. *see* Thomas, V.
Robinson, J. *see* Whitby, C.
Robinson, S.E., Wright, E.J., Hart, C.A., Bennett, M. & French, N.P. Intermittent and persistent shedding of Escherichia *coli* O157 in cohorts of naturally infected calves, 1045
Robinson, S.E., Wright, E.J., Williams, N.J., Hart, C.A. & French, N.P. Development and application of a spiral plating method for the enumeration of *Escherichia coli* O157 in bovine faeces, 581
Robson, G.D. *see* Sabev, H.A.
Rodés, R. *see* Loiret, F.G.
Rodgers, M. *see* Sen, K.
Romanov, M.N., Bato, R.V., Yokoyama, M.T. & Rust, S.R. PCR detection and 16S rRNA sequence-based phylogeny of a novel *Propionibacterium acidipropionici* applicable for enhanced fermentation of high moisture corn, 38
Rossall, S. *see* Walker, R.
Rush, M.C. *see* Oard, S.
Rust, S.R. *see* Romanov, M.N.
Rust, S.R. *see* Ungerfeld, E.M.

Saarela, M. *see* Mättö, J.
Sabatini, L. *see* Pianetti, A.
Sabev, H.A., Handley, P.S. & Robson, G.D. *In situ* quantification of biocide efficacy using GFP transformed *Aureobasidium pullulans*, 1132
Sahin, N. *see* Tuncer, M.
Said, B. *see* Watson, C.L.
Salkinoja-Salonen, M. *see* Suihko, M.-L.
Salvetti, S. *see* Celandroni, F.
Sánchez, I., Seseña, S. & Palop, L.L. Polyphasic study of the genetic diversity of lactobacilli associated with 'Almagro' eggplants spontaneous fermentation, based on combined numerical analysis of randomly amplified polymorphic DNA and pulsed-field gel electrophoresis patterns, 446
Sanders, M.E. *see* Yeung, P.S.M.
Sanz, D. *see* Virto, R.
Sarantou, S. *see* Papanikolaou, S.
Satyanarayana, T. *see* Uma Maheswar Rao, J.L.
Satyanarayana, T. *see* Vohra, A.
Saunders, D. *see* Wong, T.L.
Savoy de Giori, G. *see* LeBlanc, J.G.

Schmidt, H., Taniwaki, M.H., Vogel, R.F. & Niessen, L. Utilization of AFLP markers for PCR-based identification of *Aspergillus carbonarius* and indication of its presence in green coffee samples, 899
Schmitt, P. *see* Clavel, T.
Schumacher, J. *see* Wong, T.L.
Scuderi, F. *see* Nostro, A.
Sekar, V. *see* Nair, J.R.
Sen, K. & Rodgers, M. Distribution of six virulence factors in *Aeromonas* species isolated from US drinking water utilities: a PCR identification, 1077
Senesi, S. *see* Celandroni, F.
Sermon, J. *see* De Spiegeleer, P.
Seseña, S. *see* Sánchez, I.
Sesma, F. *see* LeBlanc, J.G.
Setlow, B. *see* Cortezzo, D.E.
Setlow, P. *see* Cortezzo, D.E.
Shi, Y., Xu, W., Yuan, M., Tang, M., Chen, J. & Pang, Y. Expression of *vip1/vip2* genes in *Escherichia coli* and *Bacillus thuringiensis* and the analysis of their signal peptides, 757
Shin, E.C., Cho, K.M., Lim, W.J., Hong, S.Y., An, C.L., Kim, E.J., Kim, Y.K., Choi, B.R., An, J.M., Kang, J.M., Kim, H. & Yun, H.D. Phylogenetic analysis of protozoa in the rumen contents of cow based on the 18S rDNA sequences, 378
Shin, J.-H., Chang, S. & Kang, D.-H. Application of antimicrobial ice for reduction of foodborne pathogens (*Escherichia coli* O157:H7, *Salmonella* Typhimurium, *Listeria monocytogenes*) on the surface of fish, 916
Shin, S. & Lim, S. Antifungal effects of herbal essential oils alone and in combination with ketoconazole against *Trichophyton* spp., 1289
Shoemaker, C. *see* Yildirim-Aksoy, M.
Shoemaker, C.A. *see* Arias, C.R.
Silva, A.M., Barbosa, F.H.F., Duarte, R., Vieira, L.Q., Arantes, R.M.E. & Nicoli, J.R. Effect of *Bifidobacterium longum* ingestion on experimental salmonellosis in mice, 29
Silvestroni, A. *see* LeBlanc, J.G.
Simova, E.D., Frengova, G.I. & Beshkova, D.M. Exopolysaccharides produced by mixed culture of yeast *Rhodotorula rubra* GED10 and yogurt bacteria (*Streptococcus thermophilus* 13a+*Lactobacillus bulgaricus* 2-11), 512
Sinkko, H. *see* Suihko, M.-L.
Skipper, H.D. *see* Wang, G.
Skraber, S. *see* Lucena, F.
Slavik, M. *see* Gilbert, C.
Slutsker, L. *see* Crump, J.A.
Smit, B.A., Engels, W.J.M., Bruinsma, J., van Hylckama Vlieg, J.E.T., Wouters, J.T.M. & Smit, G. Development of a high throughput screening method to test flavour-forming capabilities of anaerobic micro-organisms, 306
Smit, G. *see* Smit, B.A.
Smith, A.J. *see* Jones, C.L.
Smith, S.N. *see* Elloway, E.A.G.
Socransky, S.S. *see* Li, J.
Solano-Serena, F., Marchal, R., Heiss, S. & Vandecasteele, J.-P. Degradation of isooctane by *Mycobacterium austroafricanum* IFP2173: growth and catabolic pathway, 629
Souto, G.I., Correa, O.S., Montecchia, M.S., Kerber, N.L., Pucheu, N.L., Bachur, M. & García, A.F. Genetic and functional characterization of a *Bacillus* sp. strain excreting surfactin and antifungal metabolites partially identified as iturin-like compounds, 1247
Spano, G., Capozzi, V., Vernile, A. & Massa, S. Cloning, molecular characterization and expression analysis of two small heat shock genes isolated from wine *Lactobacillus plantarum*, 774
Spinnler, H.E. *see* Feurer, C.
Stevens, K.A. & Jaykus, L.-A. Direct detection of bacterial pathogens in representative dairy products using a combined bacterial concentration-PCR approach, 1115
Stevenson, A.E. *see* Jordan, D.
Stevik, T.K. *see* Bomo, A.-M.
Strachan, N.J.C. *see* Drysdale, M.
Stratford, M. *see* Fitzgerald, D.J.
Sucu, E. *see* Filya, I.
Suihko, M.-L., Sinkko, H., Partanen, L., Mattila-Sandholm, T., Salkinoja-Salonen, M. & Raaska, L. Description of heterotrophic bacteria occurring in paper mills and paper products, 1228
Suihko, M.-L. *see* Mättö, J.
Sun, M.-B. *see* Jiang, Y.-J.
Surman-Lee, S. *see* Watson, C.L.
Suzuki, K., Ozaki, K. & Yamashita, H. Genetic marker for differentiating beer-spoilage ability of *Lactobacillus paracollinoides* strains, 712

Taguchi, F. *see* Kida, N.
Taillandier, P. *see* Bejaoui, H.
Talon, R. *see* Morot-Bizot, S.C.
Tang, M. *see* Shi, Y.
Tani, K. *see* Kawai, M.
Taniwaki, M.H. *see* Schmidt, H.
Tao, J. *see* Guo, H.

Thomas, P. Isolation of *Bacillus pumilus* from *in vitro* grapes as a long-term alcohol-surviving and rhizogenesis inducing covert endophyte, 114
Thomas, R.J. *see* Chinivasagam, H.N.
Thomas, S.M. *see* Dandie, C.E.
Thomas, V., Bouchez, T., Nicolas, V., Robert, S., Loret, J.F. & Lévi, Y. Amoebae in domestic water systems: resistance to disinfection treatments and implication in *Legionella* persistence, 950
Tofalo, R. *see* Blaiotta, G.
Toh, M., Moffitt, M.C., Henrichsen, L., Raftery, M., Barrow, K., Cox, J.M., Marquis, C.P. & Neilan, B.A. Cereulide, the emetic toxin of *Bacillus cereus*, is putatively a product of nonribosomal peptide synthesis, 992
Tong, P.S. *see* Yeung, P.S.M.
Torpdahl, M. & Ahrens, P. Population structure of *Salmonella* investigated by amplified fragment length polymorphism, 566
Tosoratti, N. *see* Celandroni, F.
Tripathi, A.K. *see* Chowdhury, S.P.
Troxler, R.F. *see* Li, J.
Tuncer, M., Kuru, A., Isikli, M., Sahin, N. & Çelenk, F.G. Optimization of extracellular endoxylanase, endoglucanase and peroxidase production by *Streptomyces* sp. F2621 isolated in Turkey, 783

Uchida, M. & Murata, M. Isolation of a lactic acid bacterium and yeast consortium from a fermented material of *Ulva* spp. (Chlorophyta), 1297
Ueckert, J. *see* Fitzgerald, D.J.
Uma Maheswar Rao, J.L. & Satyanarayana, T. Amelioration in secretion of hyperthermostable and Ca^{2+}-independent α-amylase of *Geobacillus thermoleovorans* by some polyamines and their biosynthesis inhibitor methylglyoxal-bis-guanylhydrazone, 1015
Ungerfeld, E.M., Rust, S.R., Boone, D.R. & Liu, Y. Effects of several inhibitors on pure cultures of ruminal methanogens, 520
Urdaci, M.-C. *see* Massias, B.

Valdivia, E. *see* Ananou, S.
Vallaeys, T. *see* Feurer, C.
Van Immerseel, F. *see* De Buck, J.
Vancov, T. *see* Jordan, D.
Vandecasteele, J.-P. *see* Solano-Serena, F.
Vanderlinde, P. *see* Fegan, N.
Vaningelgem, F., Zamfir, M., Adriany, T. & De Vuyst, L. Fermentation conditions affecting the bacterial growth and exopolysaccharide production by *Streptococcus thermophilus* ST 111 in milk-based medium, 1257
Varel, V.H. & Miller, D.L. Eugenol stimulates lactate accumulation yet inhibits volatile fatty acid production and eliminates coliform bacteria in cattle and swine waste, 1001
Verdenelli, M.C. *see* Cecchini, C.
Verma, S.C. *see* Chowdhury, S.P.
Vernile, A. *see* Spano, G.
Vernozy-Rozand, C. *see* Avrain, L.
Vieira, L.Q. *see* Silva, A.M.
Villani, F. *see* Blaiotta, G.
Villani, F. *see* Mauriello, G.
Virto, R., Sanz, D., Álvarez, I., Condon, S. & Raso, J. Relationship between inactivation kinetics of a *Listeria monocytogenes* suspension by chlorine and its chlorine demand, 1281
Vogel, R.F. *see* Schmidt, H.
Vohra, A. & Satyanarayana, T. A cost-effective cane molasses medium for enhanced cell-bound phytase production by *Pichia anomala*, 471

Walker, R., Rossall, S. & Asher, M.J.C. Comparison of application methods to prolong the survival of potential biocontrol bacteria on stored sugar-beet seed, 293
Wan, P.J. *see* Yildirim-Aksoy, M.
Wang, G. & Skipper, H.D. Identification of denitrifying rhizobacteria from bentgrass and bermudagrass golf greens, 827
Wang, L. *see* Guo, H.
Ward, P.N. *see* Jones, C.L.
Watson, C.L., Owen, R.J., Said, B., Lai, S., Lee, J.V., Surman-Lee, S. & Nichols, G. Detection of *Helicobacter pylori* by PCR but not culture in water and biofilm samples from drinking water distribution systems in England, 690
Welker, T.L. *see* Arias, C.R.
Whitby, C., Earl, J., Lanyon, C., Gray, S., Robinson, J., Meadows, J. & Edwards, C. The molecular diversity of the methanogenic community in a hypereutrophic freshwater lake determined by PCR-RFLP, 973
Whyte, R.J. *see* Wong, T.L.
Williams, N.J. *see* Robinson, S.E.
Wilson, I. *see* Neely, E.
Wilson, R.A. *see* Chang, P.-K.
Wong, T.L., Whyte, R.J., Graham, C.G., Saunders, D., Schumacher, J. & Hudson, J.A. Growth of enterotoxigenic *Staphylococcus aureus* in povi masima, a traditional Pacific island food, 1185
Wouters, J.T.M. *see* Smit, B.A.
Wright, E.J. *see* Robinson, S.E.

Wu, H., Ma, Y., Zhang, Y. & Zhang, H. Complete sequence of virulence plasmid pEIB1 from the marine fish pathogen *Vibrio anguillarum* strain MVM425 and location of its replication region, 1021
Wu, L. & Birch, R.G. Characterization of *Pantoea dispersa* UQ68J: producer of a highly efficient sucrose isomerase for isomaltulose biosynthesis, 93

Xu, W. *see* Shi, Y.

Yamagishi, J. *see* Kawai, M.
Yamaguchi, N. *see* Kawai, M.
Yamashita, H. *see* Suzuki, K.
Yasa, I. *see* Akbalik, G.
Yaskell, T. *see* Li, J.
Yavuz, E., Gunes, H., Harsa, S. & Yenidunya, A.F. Identification of extracellular enzyme producing thermophilic bacilli from Balcova (Agamemnon) geothermal site by ITS rDNA RFLP, 810
Yavuz, E. *see* Akbalik, G.
Yenidunya, A.F. *see* Akbalik, G.
Yenidunya, A.F. *see* Yavuz, E.
Yeung, P.S.M., Kitts, C.L., Cano, R., Tong, P.S. & Sanders, M.E. Application of genotypic and phenotypic analyses to commercial probiotic strain identity and relatedness, 1095
Yildirim-Aksoy, M., Lim, C., Dowd, M.K., Wan, P.J., Klesius, P.H. & Shoemaker, C. *In vitro* inhibitory effect of gossypol from gossypol-acetic acid, and (+)- and (−)-isomers of gossypol on the growth of *Edwardsiella ictaluri*, 87
Ying, S.-H. & Feng, M.-G. Relationship between thermotolerance and hydrophobin-like proteins in aerial conidia of *Beauveria bassiana* and *Paecilomyces fumosoroseus* as fungal biocontrol agents, 323
Yokoyama, M.T. *see* Romanov, M.N.
Yoshimoto, T. *see* Ma, X.
Yuan, M. *see* Shi, Y.
Yun, H.D. *see* Shin, E.C.

Zacheo, G. *see* Cappello, M.S.
Zambonelli, C. *see* Montanari, G.
Zamfir, M. *see* Vaningelgem, F.
Zhang, C. *see* Guo, H.
Zhang, H. *see* Wu, H.
Zhang, Y. *see* Wu, H.
Zhao, W. *see* Jiang, Y.-J.
Zhou, X. *see* Ma, X.
Zouari, N. *see* Ghribi, D.

Index of Subjects

16S-ITS rDNA RFLP identification
 of alkalophilic bacilli 766
 of thermophilic bacilli 810
16S rDNA gene sequence
 intergenic spacer region analysis of waterborne bacteria 191
 lakewater methanogen diversity determination 973
 microbial diversity in cheese rind 546
 phylogenetic analysis of rumen protozoa 378
 phylogeny of novel *Propionibacterium* 38
16S rDNA-targeted primers for faecal bacteria 1166

abiotic stress and wine *L. plantarum* 774
Acanthamoeba polyphaga carbohydrate exposure 1319
acid tolerance of *B. cereus* in stomach medium 214
Actinomucor elegans, novel glycine amino peptidase from 985
adenovirus PCR detection in urban river water 17
adhesion/attachment
 of hepatitis A virus to agri-food surfaces 923
 of *Staph.* spp. to reconstructed epidermis 7
 of young zebra mussels, biofilms and 1236
aerobic stability of silages, improvement of 818
Aeromonas spp.
 A. hydrophila, VBNC, pathogenicity of 557
 distribution in coastal sea-water/plankton 354
 virulence factors in, isolated from drinking water 1077
aggregation-promoting factor of *L. crispatus* M247 749
alkalophilic bacilli, extracellular enzyme producing, identification of 766
Almagro eggplant spontaneous fermentation 446
ammonium concentration and *S. cerevisiae* growth 540
amoebae, disinfection-resistant, and *Legionella* persistence 950
amplified fragmentation length polymorphism (AFLP)
 in *A. carbonarius* PCR-based identification 899
 in *Salmonella* spp. 566
α-amylase production by *G. thermolaevorans* 1015
antibiotic resistance
 erythromycin-resistance in pig offal *Campylobacter* 141
 induction of *mar* operon by miscellaneous groceries 1054
 tetracycline resistance transfer in *Campylobacter* 134
 zwittermicin A resistance gene cluster of *Bacillus* 495
antifungal activity
 Bacillus spp., genetic characterization of 495
 glucose oxidase of *P. chrysogenum* 1201
O-antigen gene cluster identification 181
antilisterial activity
 food packaging 314
 lactic acid bacteria from rigouta cheese 621
antimicrobial action of vanillin 104
antimicrobial ice for foodborne pathogens on seafood 916
antimicrobial MIC comparisons of MSSA MRSA and *P. aeruginosa* 699
antimicrobial peptides against *R. solani* 169
antimicrobial treatment on air filter media 371
antiseptic sensitivity, '*ex vivo*' test for 1149
Arcobacter distribution in coastal sea-water/plankton 354
Aspergillus spp.
 A. carbonarius
  from green coffee samples 899
  growth/ochratoxin A production 439
 A. nidulans GOX production 332
 A. niger temperature/water activity and growth 429
 A. parasiticus development and linoleic acid 1178
attachment *see* adhesion/attachment
Aureobasidium pullulans biocide efficacy quantification 1132
autolytic phenotype of *Bacillus thuringiensis* 158

Bacillus spp.
 B. cereus in stomach medium 214
 B. cereus NRPS production of cereulide 992
 B. macroides/maroccanus enterocin inhibition of 731
 B. pumilis, alcohol-surviving in grape culture 114
 B. sporothermodurans characterization 802
 B. subtilis
  spore sensitization 838
  spores, effect of microwave radiation on 1220
 B. thuringiensis
  autolytic phenotype of 158
  CMB26 cyclic lipopeptide 942
  toxin production improvement 338
  vip1/vip2 gene expression/signal peptide analysis 757
  zwittermicin A resistance gene cluster 495
 characterization of antifungal-excreting strain 1247
 spore killing by potassium iodide formulation 402
bacteria
 in bulk tank milk, flow cytometric method for 935
 heterotrophic, in paper mills/products 1228
 in pharmaceutical manufacturing water supply 1123
bacterial indicators, reduction of, in wastewater treatment 1069
bacterial survival on human skin, '*ex vivo*' *test for* 1149
bacterial viability/persistence and immune system 673
bacterial volatiles, screening of 306
bacteriocin
 antilisterial, in food packaging 314
 from *Carnobacterium* against *L. monocytogenes* 1029
 enterotoxin AS-48 activity against *St. aureus* CECT 976 48
 see also enterocin

bacteriophages of *Vibrio* spp., host range of 663
Beauvaria bassiana conidial thermotolerance 323
beer spoilage organism genetic markers 712
Bifidobacterium spp.
B. longum
and salmonellosis on mice 29
stress tolerance in immobilized-cell fermentation 527
intestinal, characterization of 459
biocide efficacy quantification using GFP transformed *Aureobasidium pullulans* 1132
biocide resistance of MSSA/MRSA/*P. aeruginosa* 699
biocontrol agents
bacteriocin from *Carnobacterium* against *L. monocytogenes* 1029
bioinsecticide production improvement 338
lipopeptide from *B. thuringiensis* against *C. glocosporoides* 942
peptides against *R. solani* 169
thermotolerant aerial conidia 323
biocontrol bacteria application to sugar-beet seeds 293
biodegradation
of isooctane by *M. austroafricanum* IFP2173 629
of PAH by *Mycobacterium* sp. strain 1B 246
of synthetic pyrethroids, nutrient use in 656
biofilms
dental, early microbial colonizers in 1311
H. pylori in 690
impact of cleaning/disinfection agents on 262
microbiology of 'blue water' copper corrosion 590
and reattachment of young zebra mussels 1236
biosensors, evaluation of 1192
'blue water' copper corrosion, microbiology of 581
Brettanomyces spp.
B. bruxellensis real-time PCR in wine 910
indigenous yeasts in traditional Irish cider 647

Calamintha officinalis efficiency test 395
calcium and biofilm structure 262
Campylobacter spp.
C. jejuni
tetO gene transfer in 134
toxicity determination 347
chronic shedding in beef cattle 410
distribution in coastal sea-water/plankton 354
erythromycin resistance in 141
method/medium for isolation 853
in piggery effluent 883
Candida zeylanoides-like organism in fermented seaweed 1297
cane molasses medium, cost-effective, for *P. anomala* 471
capture/enrichment sELISA for *E. coli* O26 1161
carbon use in synthetic pyrethroid degraders 656
Carnobacterium spp.
bacteriocin against *L. monocytogenes* in smoked salmon 1029
PCR multiplex detection in meat 384
catfish, controlling enteric septicaemia in 87
cattle
E. coli O157 shedding in calves 1045
see also meat production
cattle waste, eugenol in 1001
cereal grain, ochratoxin A level prediction in 609
cereulide, NRPS production of 992
challenge testing of *Calamintha officinalis* 395
cheese
antilisterial activity in lactic acid bacteria 621
D. hansenii strains from 205
microbial diversity in rind 546
chickens
Campylobacter in
tetO gene transfer 134
toxicity determination 347
reproductive tract colonization by *Salmonella* 233
chilled food factories, microbial ecology of 68
chlorine dioxide
in ice for seafood preservation 916
Legionella persistence and disinfection-resistant amoebae 950
chlorine inactivation of *L. monocytogenes* 1281
chromosome polymorphism in typing of *D. hansenii* 205
cider fermentations, traditional Irish, indigenous yeasts in 647
cleaning agents and biofilms/microbial transfer 262
coagulase-negative staphylococci in fermented sausages 271
Colletotrichum glocosporoides, biocontrol agent against 942
colonizers in dental biofilms 1311
competitive inhibition of *S.* Typhimurium by other Gram-negatives 964
copper corrosion, microbiology of 590
creams, preservative effects of essential oils in 395
culture media
for *Campylobacter* spp. isolation 853
cane molasses medium, cost-effective 471
multiple-limited, and lipid turnover repression 867
Cunninghamella echinulata, lipid turnover repression in 867

dairy products
PCR detection of SE genes in *S. aureus* AB-8802 from 719
see also cheese; milk
Debaryomyces hansenii

in fermented seaweed 1297
genetic diversity in 205
Dekkera yeasts in traditional Irish cider 647
denaturing gradient gel electrophoresis (DGGE) detection of bacteria in pharmaceutical water supply 1123
denitrifying rhizobacteria from bentgrass/bermudagrass golf greens 827
dental biofilms, early microbial colonizers in 1311
dextran-degrading enzymes of *Paenibacillus* 477
digital image sampling in growth modelling 486
direct detection of foodborne pathogens 1115
disinfection agents and biofilms/microbial transfer 262
disinfection/flocculation and drinking water quality 225
disinfection-resistant amoebae and *Legionella* persistence 950

ecology, microbial, of high-risk chilled food factories 68
Edwardsiella ictaluri, inhibitory effect of gossypol on 87
egg contamination by *Salmonella* 233
ELISA
capture/enrichment sELISA for *E. coli* O26 1161
localization of *S. uberis* MtuA 149
endoglucanase production by *Streptomyces* sp. F2621 783
endoxylanase production by *Streptomyces* sp. F2621 783
enterocin EJ97 inhibition of *Bacillus* spp. from zucchini purée 731
Enterococcus faecalis antilisterial activity 621
enteropathogenic/enterohaemorrhagic *E. coli* O26, sELISA for 1161
enterotoxigenic *St. aureus* growth in povi masima 1185
enterotoxin AS-48 activity against *St. aureus* CECT 976 48
enterotoxin genes, staphylococcal, PCR detection of 719
enterovirus PCR detection in urban river water 17
enumeration method for *E. coli* in bovine faeces 581
Episkin reconstructed epidermis model, *Staph.* spp. in 7
Erysipelothrix rhusiopathiae in piggery effluent 883
Escherichia coli
at beef-packing plant 78
detection in food by immunomagnetic separation 220
E. coli O26, sELISA for 1166
E. coli O157
and antimicrobial ice 916
in cattle faeces at slaughter 362
in cattle faeces, enumeration method for 581
shedding in calves 1045
E. coli O172 identification 181
mode of antibacterial action of vanillin against 104
persistence in high-risk chilled food factories 68
in piggery effluent 883
Shiga toxin-producing (STEC) incidence in mastitic milk 861
tryptone and oxidative stress resistance in 124
vip1/vip2 gene expression/signal peptide analysis 757
essential oil efficiency tests in cream/shampoo 395
ethanol-tolerant *B. pumilis* isolated from grape culture 114
eugenol in cattle and swine waste 1001
'*ex vivo*' test for long-term bacterial survival/antiseptic sensitivity 1149
exopolymers and reattachment of young zebra mussels 1236
exopolysaccharide production
by mixed culture 512
by *S. thermophilus* 1257
extracellular enzyme production
by alkalophilic bacilli 757, 766
by *Streptomyces* sp. F2621 783
by thermophilic bacilli 810

faecal bacteria, real-time PCR for 1166
faecal E. coli O157 362
enumeration method for 581
fermentation
cider, traditional Irish, indigenous yeasts in 647
continuous immobilized-cell, and stress tolerance 527
eugenol in cattle and swine waste 1001
α-galactooligosaccharide reduction in soyamilk 876
S. cerevisiae growth and ammonium concentration 540
S. thermophilus exopolysaccharide production 1257
spontaneous alcoholic, *S. uvarum* in 1140
spontaneous, in Almagro eggplants 446
fermented seaweed, micro-organisms in 1297
fish
foodborne pathogen reduction by antimicrobial ice 916
L. monocytogenes control in smoked salmon 1029
fish pathogens
F. columnare isolated from cultured fish 421
F. psychrophilum, P18 surface protein of 574
V. anguillarum MVM425, plasmid pEIB1 from 1021
Y. ruckeri removal in biological sand filters 598
FITC-lectin binding and *A. polyphaga* carbohydrate exposure 1319
Flavobacterium spp.
F. columnare isolates from cultured fish 421
F. psychrophilum, P18 surface protein of 574
flavour-forming bacterial volatiles, screening of 306
flocculation–disinfection point-of-use water treatment 225
flow cytometric technique for bulk tank milk 935
fluorescence evaluation of *A. polyphaga* carbohydrate exposure 1319
food packaging with antilisterial bacteriocin 314

food spoilage mould growth conditions 429
foodborne pathogens, direct detection of 1115
functional characterization of antifungal-excreting *Bacillus* strain 1247
fungal development and linoleic acid 1178
fungi *see* antifungal activity; moulds; yeasts

α-galactooligosaccharide reduction in soyamilk 876
β-galactosidase, thermostable recombinant, from *T. maritima* 1006
genetic characterization of antifungal-excreting *Bacillus* strain 1247
genetic fingerprinting of *F. columnare* from cultured fish 421
genetic locus of *L. crispatus* M247 APF 749
genetic markers of *L. paracollinoides* 712
genotypic analyses in probiotic strain differentiation 1095
Geobacillus spp.
G. thermolaevorans, α-amylase production by 1015
spore killing by potassium iodide formulation 402
glucose oxidase
of *P. chrysogenum* 1201
production by *A. nidulans* 332
glycine amino peptidase, novel, from *A. elegans* 985
gossypol, *in vitro* effect of, on *Edwardsiella ictaluri* 87
grapes
A. carbonarius from 439
characterization of *S. cerevisiae* strains from 1274
synthetic/natural juices, ochratixin A removal from 1038
in vitro culture, *B. pumilus* from 114
see also winemaking
growth conditions
Aspergillus carbonarius 439
Aspergillus niger 429
S. cerevisiae 540
growth inhibition
of ruminal methanogens 520
of *S.* Typhimurium by Gram-negative competitors 964
growth modelling of *Trichoderma virens* 486

heat shock genes from *L. plantarum* 774
HeLa toxicity determinations 347
Helicobacter spp.
H. pylori in drinking water/biofilms 690
H. pylori in seawater 285
hepatitis A virus
attachment to agri-food solid surfaces 923
detection in urban river water 17
viable, specific RT-PCR detection of 1095
heterotrophic bacteria in paper mills/products 1228
high throughput screening (HTS) of bacterial volatiles 306
horizontal transfer on *Vibrio* spp. phages 663
host organism role in biosensors 1192
human skin, '*ex vivo*' test for long-term bacterial survival on 1149
human virus detection in California urban rivers 17

ice, antimicrobial, for foodborne pathogens on seafood 916
identification
E. coli O172 181
M. avium–intracellulare complex serovars by LC/MS 738
of waterborne bacteria 191
identification of extracellular enzyme producing thermophilic bacilli, 810
immune system
effects of *Bifidobacterium* 29
and probiotic bacteria viability/persistence 673
immunoblot localization of *S. uberis* MtuA 149
immunomagnetic separation/detection
of *E. coli*
in food 220
in slaughter cattle faeces 362
of *S.* Typhimurium in cattle faeces 1054
in vitro effect of gossypol on *Edwardsiella ictaluri* 87
in vitro grape culture, isolation of *B. pumilus* from 114
inactivation of *L. monocytogenes* by chlorine 1281
indoor air quality (IAQ) and filter treatment 371
induction of *mar* operon by miscellaneous groceries 1063
integrated cell culture in detection of viable HAV 1105
intergenic spacer region analysis
of *F. columnare* from cultured fish 421
of waterborne bacteria 191
intestinal bifidobacteria, characterization of 459
isolation method/medium for *Campylobacter* spp. isolation 853
isomaltulose biosynthesis by *Pantoea dispersa* UQ68J 93
isooctane biodegradation by *M. austroafricanum* IFP2173 629
iturin producing *Bacillus* strain 1247

laccase-producing microbes, screening for 640
lactic acid bacteria
in fermented seaweed 1297
from rigouta cheese, antilisterial activity of 621
Lactobacillus spp.
diversity in eggplant spontaneous fermentation 446
flavour-forming volatiles, screening of 306
L. brevis in fermented seaweed 1297
L. bulgaricus exopolysaccharide production 512
L. crispatus M247, APF of 749
L. fermentum CRL 722, soyamilk sugar removal by 876

L. lactis
antilisterial activity 621
stress tolerance in immobilized-cell fermentation 527
L. paracollinoides genetic markers 712
L. plantarum
and abiotic stress 774
in aerobic stability improvement of silages 818
mode of antibacterial action of vanillin against 104
Legionella persistence and disinfection-resistant amoebae 950
Leuconostoc spp. PCR multiplex detection in meat 384
lignocellulolytic enzymes from *Streptomyces* sp. F2621 783
linoleic acid and fungal development 1178
lipid turnover repression in oleaginous zygomycetes 867
liquid chromatography/mass spectrosmetry analysis of MAC serovars 738
Listeria spp.
antilisterial activity of lactic acid bacteria from rigouta cheese 621
L. innocua, mode of antibacterial action of vanillin against 104
L. monocytogenes
and antimicrobial ice 916
bacteriocin-treated polythene films for 314
biocontrol in smoked salmon 1029
direct detection 1115
inactivation by chlorine 1281
persistence in high-risk chilled food factories 68

marine sediments, microbiology of 682
markers of *L. paracollinoides* 712
meat production/products
chronic shedding of *Campylobacter* in beef cattle 410
E. coli O157 shedding in calves 1045
erythromycin resistance in pig offal *Campylobacter* 141
pathogens in piggery effluent 883
PCR detection of SE genes in *S. aureus* AB-8802 from 719
production systems and faecal *E. coli* at slaughter 362
RAPD analysis of *E. coli* at beef-packing plant 78
Salmonella spp. in cattle at slaughter 892
spoilage organisms, multiplex detection of 384
Staphylococcus spp. diversity in fermented sausages 271
see also poultry production
methanogens
diversity in freshwater lake 973
ruminal, effect of inhibitors on 520
micro-organism reduction in wastewater treatments 1069
micro-organisms in fermented seaweed 1297
microarray analysis, yeast cDNA analysis of alcohols by 57
microbial diversity in cheese rind 546
microbial transfer to food 262
microbiology of 'blue water' copper corrosion 581
microbiology of marine sediments 682
microfibre glass-acrylic filters, antimicrobial treatment on 371
microwave radiation and *B. subtilis* spores 1220
milk
bacteria in bulk tank, flow cytometric method for 935
mastitic, STEC incidence in 861
mineral use in synthetic pyrethroid degraders 656
modelling growth of *Trichoderma virens* 486
Mortierella isabellina, lipid turnover repression in 867
moulds, food spoilage, growth of 429
MtuA localization in *Streptococcus uberis* 149
multiple antibiotic resistance (*mar*) operon induction 1063
multiplex PCR *see under* PCR
mussel reattachment and biofilms/exopolymers 1236
Mycobacterium spp.
M. austroafricanum IFP2173 biodegradation of isooctane 629
M. avium–intracellulare complex serovar identification 738
strain 1B, PAH degradation by 246

nisin Z from lactic acid bacteria 621
nitrogen-fixing endophyte, new, from sugarcane 504
nonribosomal peptide synthetase production of cereulide 992
novel glycine amino peptidase from *A. elegans* 985
nutrient use in synthetic pyrethroid degraders 656

ochratoxin A
prediction of levels in grain 609
production 439
removal from grape juices by *Saccharomyces* 1038
oleaginous zygomycetes, lipid turnover repression in 867
Δ12-oleic acid desaturase gene in *A. parasiticus* 1178
oxidative stress resistance and tryptone source in *E. coli* 124
oxidizing agents sensitizing *B. subtilis* spores 838

P18 surface protein of *Fl. psychrophilum* 574
Paecilomyces fumosoroseus conidial thermotolerance 323
Paenibacillus dextran-degrading enzymes 477
Pantoea spp.
new nitrogen-fixing endophyte from sugarcane 504
P. dispersa UQ68J, characterization of 93
paper mills/products, heterotrophic bacteria in 1228
pathogenic bacteria in coastal sea-water/plankton 354
pathogenicity of VBNC *Aeromonas hydrophila* from seawater 557
pathogens and piggery effluent 883

PCR
A. carbonarius identification using AFLP 899
detection of *H. pylori* in drinking water/biofilms 690
detection of novel *Propionibacterium* 38
detection of pathogenic viruses in river water 17
detection of SE genes in *S. aureus* AB-8802 719
direct detection of foodborne pathogens 1115
E. coli serogroup-specific assay 181
identification of virulence factors in *Aeromonas* spp. 1077
lakewater methanogen diversity determination 973
methods for yeast identification 792
multiplex
detection of *Carnobacterium/Leuconostoc* 384
identification of *Staphylococcus* in food 1087
phylogenetic analysis of rumen protozoa 378
quantitative study of *Campylobacter* shedding in cattle 410
real-time
detection of bacteria in pharmaceutical water supply 1123
for faecal bacteria 1166
quantification of wine spoilage micro-organisms 910
RT-PCR analysis of *L. plantarum* heat shock genes 774
RT-PCR detection of infectious HAV 1105
Pediococcus damnosus, 'ropy', real-time PCR in wine 910
Penicillium spp.
P. chrysogenum glucose oxidase 1201
P. verrucosum counts predicting ochratoxin A levels 609
peptidoglycan hydrolase activity in *B. thuringiensis* 158
peroxidase production by *Streptomyces* sp. F2621 783
persistence and viability of probiotics 673
PFGE
E. coli O157 in cattle faeces at slaughter 362
of *Lactobacilli* in eggplant spontaneous fermentation 446
and RAPD analysis of *E. coli* on beef 78
typing of *Debaryomyces hansenii* 205
pH control of GOX production in *A. nidulans* 332
phenotypic analyses in probiotic strain differentiation 1095
phytase production, enhanced cell-bound by *P. anomala* 471
PIBWin software for probabilistic identification of bacteria 1326
Pichia anomala, cell-bound phytase production by 471
pig waste, eugenol in 1001
piggery effluent, microbiological status of 883
plankton-associated bacteria
distribution system of 354
H. pylori in seawater 285
plant pathogen *Rhizoctonia solani*, biocontrol of 169
plasmid pEIB1 from *Vibrio anguillarum* MVM425 1021
polycyclic aromatic hydrocarbon (PAH) degradation by *Mycobacterium* sp. strain IB 246
polymerase chain reaction *see* PCR
potassium iodide formulation, sporicidal 402
poultry production
Campylobacter tetO gene transfer 134
Campylobacter toxicity determination 347
preservative effects
of *Calamintha officinalis* 395
on enterocin activity of *St. aureus* CECT 976 48
Probabilistic Identification of Bacteria (PIB) software 1326
probiotics
bacterial viability/persistence and immune system 673
Bifidobacterium longum in salmonellosis 29
strain differentiation by genotypic/phenotypic analyses 1095
Propionibacterium acidipropionici
in aerobic stability improvement of silages 818
detection/phylogeny 38
protozoa diversity in cattle rumen 378
Pseudomonas spp.
P. aeruginosa MIC compared to MSSA/MRSA 699
P. citronellosis isolate degrading tannic acid 1210
Ps. fluorescens attachment strength in biofilm 262
pulsed field gel electrophoresis *see* PFGE
pyrethroid degraders, nutrient use in 656

quantification of biocide efficacy using GFP transformed *Aureobasidium pullulans* 1132

randomly amplified polymorphic DNA analysis *see* RAPD analysis
RAPD analysis
of *E. coli* at beef-packing plant 78
of intestinal bifidobacteria 459
of *Lactobacilli* in eggplant spontaneous fermentation 446
redox potential control of competitive inhibition of *S.* Typhimurium 964
restriction fragment length polymorphism
analyses of alkalophilic bacilli 766
analyses of thermophilic bacilli 810
lakewater methanogen diversity determination 973
rhizobacteria, denitrifying, from bentgrass/bermudagrass golf greens 827
rhizobia, trehalose degradation by 256
Rhizoctonia solani, peptides against 169
Rhodotorula rubra exopolysaccharide production 512
rumen, diversity of protozoa in 378
ruminal methanogens, effect of inhibitors on 520

Saccharomyces spp.
removal of ochratixin A from grape juices 1038
S. cerevisiae
cDNA analysis of alcohols 57

characterization of strains from grapes 1274
growth/fermentation and ammonium concentration 540
in traditional cider fermentations 647
S. uvarum in spontaneous alcoholic fermentation 1140
Salmonella spp.
in piggery effluent 883
population structure by AFLP 566
quantification/prevalence in cattle at slaughter 892
S. enterica direct detection 1115
S. Typhimurium
and antimicrobial ice 916
in cattle faeces 1054
competitive inhibition by other Gram-negatives 964
and probiotic *Bifidobacterium* 29
survival in sunlight on surfaces 617
sand filters, *Y. ruckeri* removal in 598
screening
of bacterial volatiles 306
for laccase-producing microbes 640
seawater, *H. pylori* in 285
shampoo, preservative effects of essential oils in 395
Shiga toxin-producing *E. coli* in mastitic milk 861
silages, improving aerobic stability of 818
single strand conformation polymorphism analysis of microbial diversity in cheese rind 546
sodium hypochlorite water disinfection and flocculation 225
soyamilk sugar removal by *L. fermentum* CRL 722 876
spiral plating method for *E. coli* in bovine faeces 581
spores
B. subtilis, effect of microwave radiation on 1220
killing by potassium iodide formulation 402
sensitization by oxidizing agents 838
staphylococcal enterotoxin gene detection in *S. aureus* AB-8802 719
Staphylococcus spp.
adhesion to reconstructed epidermis/stainless steel 7
diversity in fermented sausages 271
multiplex PCR identification of, in food 1087
S. aureus AB-8802, detection of SE genes in 719
S. aureus growth in povi masima 1185
S. aureus MSSA/MRSA comparison MICs 699
S. sciuri attachment strength in biofilm 262
St. aureus CECT 976 inhibition by enterocin AS-48 48
Streptococcus spp.
S. thermophilus exopolysaccharide production 512
fermentation conditions 1257
S. uberis, localization of MtuA in 149
Streptomyces sp. F2621, lignocellulolytic enzymes from 783
stress tolerance and immobilized-cell fermentation 527
sugar-beet seed, priming inoculation of 293
sugarcane, new nitrogen-fixing endophyte from 504
sunlight, effect of, on *Salmonella* 617
surfactin producing *Bacillus* strain 1247
survival
of *B. cereus* in stomach medium 214
of *Salmonella* on surfaces in sunlight 617

tannic acid
degradation by bacteria 1210
temperature
and *A. carbonarius* growth/toxin production 439
and *A. niger* growth 429
thermotolerance of aerial conidia 323
tetO gene transfer in *Campylobacter* 134
Thermotoga maritime β-galactosidase 1006
thermotolerance of aerial conidia 323
toxicity determination of poultry-associated *C. jejuni* 347
toxin production improvement in *B. thuringiensis* 338
trehalose
degradation by rhizobia 256
in isomaltulose biosynthesis by P. dispersa UQ68J 93
Trichoderma virens, modelling growth of 486
tryptone source and oxidative stress resistance in *E.coli* 124

vanillin, mode of antibacterial action of 104
viability of probiotics and immune system 673
viable but non-culturable (VBNC) state of *A. hydrophila* from seawater 557
Vibrio spp.
distribution in coastal sea-water/plankton 354
host range of *Vibrio* spp. phages 663
V. anguillarum MVM425, plasmid pEIB1 from 1021
virulence factors in *Aeromonas* spp. from drinking water 1077
viruses
attachment to agri-food solid surfaces 923
detection in California urban rivers 17

water
drinking
disinfection-resistant amoebae and *Legionella* persistence 950
H. pylori in 690
microbiology of 'blue water' copper corrosion 590
point-of-use disinfection/flocculation 225
virulence factors in *Aeromonas* spp. from 1077
lakewater methanogen population diversity 973
pharmaceutical manufacturing supply, bacteria in 1123
seawater
H. pylori in 285

pathogenic bacteria in 354
pathogenicity of VBNC *A. hydrophila* from 557
virus detection in urban runoff 17
wastewater treatments
migro-organism reduction in 1069
sand filtration of fishfarming waste 598
water activity
and *A. carbonarius* growth/toxin production 439
and *A. niger* growth 429
waterborne bacteria, 16S rDNA ISR analysis of 191
winemaking
L. plantarum and abiotic stress 774
real-time PCR quantification of spoilage micro-organisms 910
S. cerevisiae and ammonium concentration 540
S. cerevisiae characterization of strains from grapes 1274
S. uvarum in spontaneous alcoholic fermentation 1140
see also grapes

yeasts
cDNA microarray analysis of alcohols 57
identification, PCR-based 792
indigenous, in traditional Irish cider fermentations 647
Yersinia ruckeri removal in biological sand filters 598
yoghurt starter cultures, exopolysaccharide production by 512

zwittermicin A gene cluster of *B. thuringiensis* 495
zygomycetes, oleaginous, lipid turnover repression in 867